

# MOSQUITO BEATER FLYING INSECT FOG

**READY-TO-USE IN ALL PROPANE GAS AND  
ELECTRIC FOGGERS, MAY ALSO BE SPRAYED.**

**FOR CONTROL OF ANNOYING PESTS,  
INCLUDING: MOSQUITOES, FLIES, BLACKFLIES  
AND GNATS.**

Store and transport in an upright position.

EPA Est. No. 4-NY-1  
EPA Reg. No. 4-337

Buyers Guarantee Limited to Label Claims.

Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424

Quart



## **DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

For use outdoors in yards, patios, picnic areas, around swimming pools. For use indoors and outside premises of homes, and storage buildings.

Before using this pesticide, exposed food and packaging material must be removed or protected. After using pesticide, food processing and handling equipment and utensils must be washed with an effective cleaning compound and thoroughly rinsed with potable water before operations are resumed.

## OUTDOORS

### THERMAL APPLICATIONS

This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within aerosol-size range. For reduction in annoyance from flies, mosquitoes and gnats in yards, patios, around swimming pools and picnic areas. Hold thermal applicator at least five feet from any object, especially plants and shrubbery. Avoid wetting any plant foliage. Apply undiluted at the rate of 32 ozs. per 2,900 sq. ft. Fog only when there is no breeze, or the wind velocity is less than 3 miles per hour. The ideal time is generally at dusk when the wind dies down and the air temperature and ground temperature are approximately the same. Under these conditions the fog will linger in the treated area for a longer time. Apply fog while moving away from treated area. Avoid inhalation of the fog. Do not enter the treated area until the fog has disappeared. Repeat application as necessary.

## **CONTACT SPRAY**

To kill nuisance pests around buildings, patios and paved areas: Spray directly on insects. Avoid spraying turf or plants.

## **ANTS**

Same as directed for indoor application.

## **WASPS, HORNETS, YELLOW JACKETS**

Application should be made in late evening when insects are at rest. Point spray opening away from face. Aim spray at nest opening in bushes, under eaves, chimneys, cracks and crevices. Thoroughly saturate nest with spray, contacting as many insects as possible. Spray liberally into hiding and breeding places.

## **EARWIGS, SOWBUGS, SPIDERS, CENTIPEDES AND MILLIPEDES**

Apply as a contact spray, as for indoor use. To control flies, mosquitoes, gnats and crawling insects around premises, spray thoroughly around doors, window frames and similar areas of entry. Also thoroughly spray garbage and refuse areas, and similar areas of heavy infestation. Do not spray on turf or plants.

## **INDOORS**

### **CONTACT SPRAY**

To kill cockroaches, waterbugs, ants, crickets, silverfish, earwigs, spiders, grain mites, sowbugs, centipedes and millipedes. Adjust spray to produce large wetting-type spray particles. Direct spray to contact these insects in cracks and crevices in floors, baseboards, around pipes, behind cabinets and other harborages. Spray these infested areas until thoroughly wet. Repeat as necessary.

### **TO KILL ANTS**

Spray around doors and window frames, ant trails, and hills in addition to direct spray to contact insects.

### **TO KILL SPIDERS**

Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

## STORAGE AND DISPOSAL

**STORAGE:** Store in a cool dry area inaccessible to children or pets. Store and transport in upright position.

**DISPOSAL:** **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

<b>If Swallowed:</b>	Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
<b>If Inhaled:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
<b>If on Skin or Clothing:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

## **FIRST AID Cont.**

<b>If in Eyes:</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
--------------------	---

**NOTE TO PHYSICIAN:** Contains petroleum distillate - vomiting may cause aspiration pneumonia.

## **PRECAUTIONARY STATEMENTS**

### **HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

#### **CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing vapors of spray mist, and provide adequate ventilation of area being treated. Contact with the eyes, skin or clothing should be avoided.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to fish. Do not apply directly to water. Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Consult your State's Fish and Wildlife Agency before treating around such waters.

#### **PHYSICAL OR CHEMICAL HAZARDS**

This formulation is combustible. Do not use or store near heat or open flame. Do not store below 32 degrees F.

## WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuses as such, or in combination with other materials.