

ROSE RX 3 IN 1

FOR USE ON: ROSES, FLOWERS, HOUSEPLANTS, ORNAMENTAL TREES AND SHRUBS, FRUITS, NUTS, AND VEGETABLES IN AND AROUND THE HOME AND HOME GARDEN. CAN BE USED UP TO DAY OF HARVEST.

CONTROLS: BLACKSPOT, POWDERY MILDEW, RUST, SPIDER MITES, APHIDS, WHITEFLIES, AND OTHER INSECT PESTS.

FOR ORGANIC GARDENING

BONIDE WARRANTS THAT THE MATERIAL CONTAINED HEREIN CONFORMS TO THE DESCRIPTION ON THE LABEL AND IS REASONABLY FIT FOR THE PURPOSES REFERRED TO IN THE DIRECTIONS FOR USE. TIMING AND METHOD OF APPLICATION, WEATHER, WATERING PRACTICES, NATURE OF SOIL, THE INSECT PROBLEM CONDITION OF THE CROP, INCOMPATIBILITY WITH OTHER CHEMICALS NOT SPECIFICALLY RECOMMENDED, AND OTHER INFLUENCING FACTORS IN THE USE OF THIS PRODUCT ARE BEYOND THE CONTROL OF THE SELLER. BUYER ASSUMES ALL RISKS OF USE, STORAGE OR HANDLING OF THIS MATERIAL NOT IN STRICT ACCORDANCE WITH DIRECTIONS GIVEN HEREIN. NO OTHER EXPRESS OR IMPLIED WARRANTY OF THE FITNESS OR MERCHANTABILITY IS MADE.

EPA Reg. No. 70051-13-4
EPA Est. No. 4-NY-1

Distributed by:
BONIDE PRODUCTS, INC.
6301 Sutliff Road
Oriskany, NY 13424

Quart



DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

GENERAL INFORMATION

- Three garden products in one.
- Multi-purpose fungicide/insecticide/miticide-3 in 1 product.
- Kills eggs, larvae and adult stages of insects.
- Prevents fungal attack of plant tissues.
- Not for use in food-handling areas.
- Shake well before using.
- Thorough plant coverage is essential to obtain levels of control.
- Do not apply to wilted or otherwise stressed plants, or to newly transplanted material prior to root establishment.
- As with other pest control products, exercise care in timing applications to early morning/late evening to minimize the potential for leaf burn.
- Use with care on plants with tender tissue. Check for leaf burn in small-scale trials prior to use.

FUNGICIDE USE

Application Instructions

- **Bonide Rose Rx 3 in 1** is an effective fungicide for the prevention and control of various fungal diseases including black spot on roses, powdery mildew, downy mildew, anthracnose, rust leaf spot, botrytis, needle rust, scab, and flower, twig and tip blight.
- **Bonide Rose Rx 3 in 1** may be used on all roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables grown in and around the home and home garden.
- As a preventative, apply **Bonide Rose Rx 3 in 1** on a 7 to 14 day schedule until the potential for disease development is no longer present. Spray to run off. Complete coverage of all plant tissue is necessary for control.
- To control diseases already present, apply **Bonide Rose Rx 3 in 1** on a 7- day schedule until disease pressure is eliminated. Then continue spraying on 14-day schedule to prevent the disease from recurring. Spray to run off. Complete coverage of all plant tissue is necessary for control.

FUNGICIDE USE Cont.

- To prevent rust leaf spot diseases, anthracnose, and scab, begin applications at the first sign of spring budding.
- To prevent powdery mildew, apply in mid-summer or when disease is first detected. Continue applications until disease pressure no longer exists.
- To prevent black spot on roses, begin applications at first bud emergence in spring. Apply **Bonide Rose Rx 3 in 1** on a 14-day preventative schedule through the spring and fall to prevent disease emergence.

INSECTICIDE USE

Application Instructions

- **Bonide Rose Rx 3 in 1** is an effective insecticide for the control of various insect pests including whiteflies, mealy bugs, armyworms, hornworms, leafhoppers, bagworms, leafminers, psyllids, fruit flies, loopers, budworms, beetles (including Japanese beetles), aphids, scales, caterpillars, midges, budworms, and mites (including spider mites).
- **Bonide Rose Rx 3 in 1** may be used on all roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables grown in and around the home and home garden.
- Apply **Bonide Rose Rx 3 in 1** at first sign of insects/mites. **Bonide Rose Rx 3 in 1** is most effective in controlling insects/mites when applied on a 7-14 day schedule. For heavy insect populations, apply on a 7-day schedule. Spray to run off. Complete coverage of all plant tissue is necessary for control.

STORAGE AND DISPOSAL

Pesticide Storage: Keep in original container. Store away from direct sunlight, feed, or foodstuffs. Keep container tightly sealed when not in use. Keep from freezing.

Pesticide & Container Disposal: If empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control center or doctor for further treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if inhaled. Avoid breathing spray mist. Causes moderate eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

BEE HAZARD

This product is toxic to bees exposed to direct treatment. Do not apply this product while bees are actively visiting the treatment area.